Professional Displays

SPECKTRON


4K LED Displays for your Business



18:10 Toulouse	Flight closir
18:15 Prague	Flight closir
18:25 Irl West Knock	Flight closir
18:25 Nice	Flight closir
18:40 Stockholm	Flight closir
18:55 Amsterdam	Please wait
18:55 Glasgow	Delayed to
19:00 Guernsey	Boarding
19:05 Newcastle	Please wait
19:05 Belfast	Please wait
19:10 Barcelona	Please wait
19:15 Copenhagen	Please wait
19:15 Male	Boarding
19:15 Billund	Boarding
19:15 Sharm El Sheikl	Boarding
19:15 Madrid	Please wait
19:20 Aberdeen	Please wait
19:25 Inverness	Boarding
19:30 Jersey	Please wait
19:30 Edinburgh	Please wait
19:40 Copenhagen	Delayed to :



Unleashing the power of visualization.



50" 55" 65" 75" 86" 98"

43"

Professional Displays

SPECKTRON

4K LED Displays for your Business



Beautiful Thin Bezel Design

Specktron's displays exhibit ultra narrow bezel design eliminating the visual superfluities, directing audience focus on your advertised content. This series is found to be desirable for digital signage specific design: internal usb cover, OPS-slot, detachable power plug, carrying handles and IR extender.











Professional Displays

SPECKTRON

4K LED Displays for your Business









Display Control

Scheduler



Pixel shifting



External Device Comms



USB Security



USB Autoplay



OPS Support



Subtle Design



SOC Content Management



Open PLatform Support



Daisy Chain Support

Professional Displays

SPECKTRON

4K LED Displays for your Business

- 1. Micro USB
- 2. HDMI OUT
- 3. HDMIIN1
- 4. Display Port*
- **5.** HP
- 6. IR IN
- 7. HDMIIN 4
- 8. HDMIIN 3
- 9. HDMIIN 2
- 10. OPTICAL SPDIF
- 11. RJ12-SENSORS
- 12. RJ12
- 13. Micro SD
- 14. RS232 (3.5 mm jack)
- 15. RJ45 (Gbit ethernet)
- 16. USB-C 3.0*
- 17. USB-A 3.0
- 18. USB-A 2.0
- 19. USB-A 2.0 (secure)
- 20. OPS/SDM Slot*



41/		AI O	/ OII
• 4 K	HDA	/\	DUH

- Display Control
- Scheduler
- USB Auto-Play
- · USB Cloning
- USB Operations
- · USB Information
- USB Safe Eject
- · Auto-Launch
- Boot-up Picture
- Brightness Scheduling
- · Sensor Compatibility
- •30° Tilting Installation
- · Detachable Logo
- · Detachable Power Cord

- · OSD Rotation
- Pixel Shifting
- · Signal Failover
- Input Search
- IP Streaming Support
- Playlist Creation
- SoC Content Management
- · HTML5 API Support
- HDMI Wakeup
- · HDMI Switching
- · HDMI CEC
- HDMI Auto-Switch
- Improved UI
- $\hbox{-} \mathsf{Color}\,\mathsf{Calibration}(\mathsf{VW})$
- Professional Design

- Built-in WiFi
- Built-in Bluetooth
- · Longer Life Span
- OPS/SDM support options
- Touch Support
- · USB Secure Cover
- · Carrying Handles
- ·IR Extender
- · Hidden Embedded IR
- Option
- Button Lock
- RCU Lock
- · Menu Lock
- Device ID

· Display Lifetime

- · Serial Number
- · Software Upgrade
- Start Url
- OPS/SDM Status
- · OPS/SDM Power Control
- Power-up Mode
- Power on Delay
- · Videowall Settings
- Daisychain
- · Volume Limit
- · Startup Volume
- · Headphone Volume

