


# TRANSPARENT OLED DISPLAY KIOSK

SPECKTRON

See Through the Future




Disclaimer: The product specifications, designs and solutions are subject to change without prior notice

[www.spektron.com](http://www.spektron.com)

# TRANSPARENT OLED DISPLAY KIOSKS

SPECKTRON



Introducing the Specktron TLT-55M-AP—a 55-inch transparent OLED kiosk that transforms ordinary spaces into extraordinary experiences. With its all-glass architecture and 600-nit high brightness, this display delivers crystal-clear digital content while maintaining near-invisibility when idle—perfect for premium environments where design and technology must coexist seamlessly.

## Features

**True Transparency, Maximum Impact:** When off, it's a sleek pane of glass. When on, it projects vivid, floating visuals that captivate without obstructing the view—ideal for luxury retail, museums, and corporate lobbies.

**High Brightness for Any Lighting:** With 600 nits of brightness, your content stays sharp and visible even in well-lit or sun-drenched environments.

**Immersive Visual Performance:** 150,000:1 contrast ratio with perfect blacks (OLED self-emissive pixels) 1.07 billion colors for lifelike depth 1ms response time for smooth motion 178° ultra-wide viewing angles

Disclaimer: The product specifications, designs and solutions are subject to change without prior notice

[www.specktron.com](http://www.specktron.com)

## Specification

Model: TLT-55M-AP

|                     |                                 |
|---------------------|---------------------------------|
| SKU                 | DSTLT55MAPN1                    |
| Display Size        | 55"                             |
| Display Resolution  | Full HD (1920 x 1080)           |
| Brightness Range    | 200-600 cd/m <sup>2</sup>       |
| Basic Interface     | HDMI / DP/USB/ RS232            |
| Touch Option        | P-cap Touch / No Touch          |
| Transparency (Typ.) | 43 %                            |
| OLED Care system    | YES                             |
| Frame               | Iron                            |
| Panel Lifetime      | 30,000 Hrs (Typ.)               |
| Color Depth         | 10 bit (R), 1.07 Billion Colors |
| Product Dimension   | 1303*1636.13*691.5(mm)          |
| Weight (Net Weight) | 82 kg (180.7 lbs)               |
| Power Requirements  | 100 to 240V AC                  |
| Power Consumption   | <190W                           |

---